

United States Forest Service Northeastern Area 180 Canfield St.
Department of Service State and Private Morgantown, WV 26505
Agriculture Forestry

Reply To: 3460

Date: 5/12/89

Suzanne Glass
YOUGHIOGHENY RIVER LAKE
U.S. ARMY CORPS OF ENGINEERS
R.D. 1 BOX 17
CONFLUENCE PA 15424

Dear Suzanne Glass:

Enclosed please find:

10 Milk Carton Traps
pheremone strips (little white strips in a zip-lock bag)
insecticide strips (in individual vacuum packed envelopes)
trap hangars
twist ties
directions for assembly of traps
tally sheet(s) for recording moth catches
a copy of the label for the insecticide strip

This should be all of the paraphenalia needed to perform your gypsy moth trapping program at your site this year.

You should keep the pheremone and insecticide strips dry and cool until it is time to use them. Use the twist-ties to hang the pheremone and insecticide strips inside the traps. Be sure to read the enclosed label for the insecticide strip and avoid excessive handling. The traps should be in place by mid-June and checked at least once during the season. When checking the traps, empty all of the contents, count the number of gypsy moths, record the date and number of moths trapped on the enclosed tally sheets, and replace the assembled trap. Traps should be retrieved in late August and a final count made.

Please return a copy of the completed tally sheet when you have finished recording the moth catches. We thank you for your continued participation in our gypsy moth monitoring program. If you have any questions, please contact me or Rod Whiteman.

Sincerely,

/s/ William R. MacFarlane
Forest Technician
Forest Pest Management

United States
Department of
Agriculture

Forest
Service

Northeastern Area State and Private Forestry

180 Canfield St.
Morgantown, WV 26505

Reply To: 3460

Date: 5/12/89

Pat Monheim
WOODCOCK CREEK LAKE
U.S. ARMY CORPS OF ENGINEERS
P.O. BOX 629
SAEGERTOWN PA 16433

Dear Pat Monheim:

Enclosed please find:

10 Milk Carton Traps
pheremone strips (little white strips in a zip-lock bag)
insecticide strips (in individual vacuum packed envelopes)
trap hangars
twist ties
directions for assembly of traps
tally sheet(s) for recording moth catches
a copy of the label for the insecticide strip

This should be all of the paraphenalia needed to perform your gypsy moth trapping program at your site this year.

You should keep the pheremone and insecticide strips dry and cool until it is time to use them. Use the twist-ties to hang the pheremone and insecticide strips inside the traps. Be sure to read the enclosed label for the insecticide strip and avoid excessive handling. The traps should be in place by mid-June and checked at least once during the season. When checking the traps, empty all of the contents, count the number of gypsy moths, record the date and number of moths trapped on the enclosed tally sheets, and replace the assembled trap. Traps should be retrieved in late August and a final count made.

Please return a copy of the completed tally sheet when you have finished recording the moth catches. We thank you for your continued participation in our gypsy moth monitoring program. If you have any questions, please contact me or Rod Whiteman.

Sincerely,

/s/ William R. MacFarlane
Forest Technician
Forest Pest Management

United States Department of Agriculture	Forest Service	Northeastern Area State and Private Forestry	180 Canfield St. Morgantown, WV 26505
---	-------------------	--	--

Reply To: 3460

Date: 5/12/89

Tammy Peterson
UNION CITY DAM
US ARMY CORPS OF ENGINEERS
P.O.BOX 629
SAEGERTOWN PA 16433

Dear Tammy Peterson:

Enclosed please find:

5 Milk Carton Traps
pheremone strips (little white strips in a zip-lock bag)
insecticide strips (in individual vacuum packed envelopes)
trap hangars
twist ties
directions for assembly of traps
tally sheet(s) for recording moth catches
a copy of the label for the insecticide strip

This should be all of the paraphenalia needed to perform your gypsy moth trapping program at your site this year.

You should keep the pheremone and insecticide strips dry and cool until it is time to use them. Use the twist-ties to hang the pheremone and insecticide strips inside the traps. Be sure to read the enclosed label for the insecticide strip and avoid excessive handling. The traps should be in place by mid-June and checked at least once during the season. When checking the traps, empty all of the contents, count the number of gypsy moths, record the date and number of moths trapped on the enclosed tally sheets, and replace the assembled trap. Traps should be retrieved in late August and a final count made.

Please return a copy of the completed tally sheet when you have finished recording the moth catches. We thank you for your continued participation in our gypsy moth monitoring program. If you have any questions, please contact me or Rod Whiteman.

Sincerely,

/s/ William R. MacFarlane
Forest Technician
Forest Pest Management

United States
Department of
Agriculture

Forest
Service

Northeastern Area
State and Private
Forestry

180 Canfield St.
Morgantown, WV 26505

Reply To: 3460

Date: 5/12/89

Patrick Docherty
TYGERT LAKE
US ARMY CORPS OF ENGINEERS
RT. 1 BOX 257
GRAFTON WV 26354

Dear Patrick Docherty:

Enclosed please find:

13 Milk Carton Traps
pheremone strips (little white strips in a zip-lock bag)
insecticide strips (in individual vacuum packed envelopes)
trap hangars
twist ties
directions for assembly of traps
tally sheet(s) for recording moth catches
a copy of the label for the insecticide strip

This should be all of the paraphenalia needed to perform your gypsy moth trapping program at your site this year.

You should keep the pheremone and insecticide strips dry and cool until it is time to use them. Use the twist-ties to hang the pheremone and insecticide strips inside the traps. Be sure to read the enclosed label for the insecticide strip and avoid excessive handling. The traps should be in place by mid-June and checked at least once during the season. When checking the traps, empty all of the contents, count the number of gypsy moths, record the date and number of moths trapped on the enclosed tally sheets, and replace the assembled trap. Traps should be retrieved in late August and a final count made.

Please return a copy of the completed tally sheet when you have finished recording the moth catches. We thank you for your continued participation in our gypsy moth monitoring program. If you have any questions, please contact me or Rod Whiteman.

Sincerely,

/s/ William R. MacFarlane
Forest Technician
Forest Pest Management

United States Forest Northeastern Area 180 Canfield St.
Department of Service State and Private Morgantown, WV 26505
Agriculture Forestry

Reply To: 3460

Date: 5/12/89

George P. Koeck
STATE OF NEW JERSEY
BUREAU OF FOREST MANAGEMENT
C.N. 404 ROOM 713
TRENTON NJ 08625

Dear George P. Koeck:

Enclosed please find:

50 Milk Carton Traps
pheremone strips (little white strips in a zip-lock bag)
insecticide strips (in individual vacuum packed envelopes)
trap hangars
twist ties
directions for assembly of traps
tally sheet(s) for recording moth catches
a copy of the label for the insecticide strip

This should be all of the paraphenalia needed to perform your gypsy moth trapping program at your site this year.

You should keep the pheremone and insecticide strips dry and cool until it is time to use them. Use the twist-ties to hang the pheremone and insecticide strips inside the traps. Be sure to read the enclosed label for the insecticide strip and avoid excessive handling. The traps should be in place by mid-June and checked at least once during the season. When checking the traps, empty all of the contents, count the number of gypsy moths, record the date and number of moths trapped on the enclosed tally sheets, and replace the assembled trap. Traps should be retrieved in late August and a final count made.

Please return a copy of the completed tally sheet when you have finished recording the moth catches. We thank you for your continued participation in our gypsy moth monitoring program. If you have any questions, please contact me or Rod Whiteman.

Sincerely,

/s/ William R. MacFarlane
Forest Technician
Forest Pest Management

United States Forest Service Northeastern Area 180 Canfield St.
Department of Service State and Private Morgantown, WV 26505
Agriculture Forestry

Reply To: 3460

Date: 5/12/89

Gerald Freeman
SUTTON LAKE
U.S. ARMY CORPS ENGINEERS
P.O. BOX 426
SUTTON WV 26601-0426

Dear Gerald Freeman:

Enclosed please find:

15 Milk Carton Traps
pheremone strips (little white strips in a zip-lock bag)
insecticide strips (in individual vacuum packed envelopes)
trap hangars
twist ties
directions for assembly of traps
tally sheet(s) for recording moth catches
a copy of the label for the insecticide strip

This should be all of the paraphenalia needed to perform your gypsy moth trapping program at your site this year.

You should keep the pheremone and insecticide strips dry and cool until it is time to use them. Use the twist-ties to hang the pheremone and insecticide strips inside the traps. Be sure to read the enclosed label for the insecticide strip and avoid excessive handling. The traps should be in place by mid-June and checked at least once during the season. When checking the traps, empty all of the contents, count the number of gypsy moths, record the date and number of moths trapped on the enclosed tally sheets, and replace the assembled trap. Traps should be retrieved in late August and a final count made.

Please return a copy of the completed tally sheet when you have finished recording the moth catches. We thank you for your continued participation in our gypsy moth monitoring program. If you have any questions, please contact me or Rod Whiteman.

Sincerely,

/s/ William R. MacFarlane
Forest Technician
Forest Pest Management

United States Forest Northeastern Area 180 Canfield St.
Department of Service State and Private Morgantown, WV 26505
Agriculture Forestry

Reply To: 3460

Date: 5/12/89

Leland Cartwright
SUMMERSVILLE LAKE
U.S. ARMY CORPS ENGINEERS
RT. 2 BOX 471
SUMMERSVILLE WV 26651

Dear Leland Cartwright:

Enclosed please find:

16 Milk Carton Traps
pheremone strips (little white strips in a zip-lock bag)
insecticide strips (in individual vacuum packed envelopes)
trap hangars
twist ties
directions for assembly of traps
tally sheet(s) for recording moth catches
a copy of the label for the insecticide strip

This should be all of the paraphenalia needed to perform your gypsy moth trapping program at your site this year.

You should keep the pheremone and insecticide strips dry and cool until it is time to use them. Use the twist-ties to hang the pheremone and insecticide strips inside the traps. Be sure to read the enclosed label for the insecticide strip and avoid excessive handling. The traps should be in place by mid-June and checked at least once during the season. When checking the traps, empty all of the contents, count the number of gypsy moths, record the date and number of moths trapped on the enclosed tally sheets, and replace the assembled trap. Traps should be retrieved in late August and a final count made.

Please return a copy of the completed tally sheet when you have finished recording the moth catches. We thank you for your continued participation in our gypsy moth monitoring program. If you have any questions, please contact me or Rod Whiteman.

Sincerely,

/s/ William R. MacFarlane
Forest Technician
Forest Pest Management

United States Department of Agriculture	Forest Service	Northeastern Area State and Private Forestry	180 Canfield St. Morgantown, WV 26505
---	-------------------	--	--

Reply To: 3460

Date: 5/12/89

Jim Devore
STONEWALL JACKSON DAM
US ARMY CORPS OF ENGINEERS
P.O. BOX 748
WESTON WV 26452-0748

Dear Jim Devore:

Enclosed please find:

25 Milk Carton Traps
pheremone strips (little white strips in a zip-lock bag)
insecticide strips (in individual vacuum packed envelopes)
trap hangars
twist ties
directions for assembly of traps
tally sheet(s) for recording moth catches
a copy of the label for the insecticide strip

This should be all of the paraphenalia needed to perform your gypsy moth trapping program at your site this year.

You should keep the pheremone and insecticide strips dry and cool until it is time to use them. Use the twist-ties to hang the pheremone and insecticide strips inside the traps. Be sure to read the enclosed label for the insecticide strip and avoid excessive handling. The traps should be in place by mid-June and checked at least once during the season. When checking the traps, empty all of the contents, count the number of gypsy moths, record the date and number of moths trapped on the enclosed tally sheets, and replace the assembled trap. Traps should be retrieved in late August and a final count made.

Please return a copy of the completed tally sheet when you have finished recording the moth catches. We thank you for your continued participation in our gypsy moth monitoring program. If you have any questions, please contact me or Rod Whiteman.

Sincerely,

/s/ William R. MacFarlane
Forest Technician
Forest Pest Management

United States Forest Northeastern Area 180 Canfield St.
Department of Service State and Private Morgantown, WV 26505
Agriculture Forestry

Reply To: 3460

Date: 5/12/89

Chuck Brudowsky
SHENANGO LAKE
U.S. ARMY CORPS OE ENGINEERS
2442 KELLY RD.
HERMITAGE PA 16150-9703

Dear Chuck Brudowsky:

Enclosed please find:

20 Milk Carton Traps
pheremone strips (little white strips in a zip-lock bag)
insecticide strips (in individual vacuum packed envelopes)
trap hangars
twist ties
directions for assembly of traps
tally sheet(s) for recording moth catches
a copy of the label for the insecticide strip

This should be all of the paraphenalia needed to perform your gypsy moth trapping program at your site this year.

You should keep the pheremone and insecticide strips dry and cool until it is time to use them. Use the twist-ties to hang the pheremone and insecticide strips inside the traps. Be sure to read the enclosed label for the insecticide strip and avoid excessive handling. The traps should be in place by mid-June and checked at least once during the season. When checking the traps, empty all of the contents, count the number of gypsy moths, record the date and number of moths trapped on the enclosed tally sheets, and replace the assembled trap. Traps should be retrieved in late August and a final count made.

Please return a copy of the completed tally sheet when you have finished recording the moth catches. We thank you for your continued participation in our gypsy moth monitoring program. If you have any questions, please contact me or Rod Whiteman.

Sincerely,

/s/ William R. MacFarlane
Forest Technician
Forest Pest Management

United States
Department of
Agriculture

Forest
Service

Northeastern Area State and Private Forestry

180 Canfield St.
Morgantown, WV 26505

Reply To: 3460

Date: 5/12/89

Dr. Marcus Cathey
U.S. DEPARTMENT AGRICULTURE
NATIONAL ARBORETUM
24TH & R ST., NE
WASHINGTON DC 20002

Dear Dr. Marcus Cathey:

Enclosed please find:

40 Milk Carton Traps
pheremone strips (little white strips in a zip-lock bag)
insecticide strips (in individual vacuum packed envelopes)
trap hangars
twist ties
directions for assembly of traps
tally sheet(s) for recording moth catches
a copy of the label for the insecticide strip

This should be all of the paraphenalia needed to perform your gypsy moth trapping program at your site this year.

You should keep the pheremone and insecticide strips dry and cool until it is time to use them. Use the twist-ties to hang the pheremone and insecticide strips inside the traps. Be sure to read the enclosed label for the insecticide strip and avoid excessive handling. The traps should be in place by mid-June and checked at least once during the season. When checking the traps, empty all of the contents, count the number of gypsy moths, record the date and number of moths trapped on the enclosed tally sheets, and replace the assembled trap. Traps should be retrieved in late August and a final count made.

Please return a copy of the completed tally sheet when you have finished recording the moth catches. We thank you for your continued participation in our gypsy moth monitoring program. If you have any questions, please contact me or Rod Whiteman.

Sincerely,

/s/ William R. MacFarlane
Forest Technician
Forest Pest Management

United States Forest Northeastern Area 180 Canfield St.
Department of Service State and Private Morgantown, WV 26505
Agriculture Forestry

Reply To: 3460

Date: 5/12/89

Mike Mazzocco
MAHONING CREEK LAKE
US ARMY CORPS OF ENGINEERS
R.D. 1, BOX 229
NEW BETHLEHEM PA 16242-9603

Dear Mike Mazzocco:

Enclosed please find:

10 Milk Carton Traps
pheremone strips (little white strips in a zip-lock bag)
insecticide strips (in individual vacuum packed envelopes)
trap hangars
twist ties
directions for assembly of traps
tally sheet(s) for recording moth catches
a copy of the label for the insecticide strip

This should be all of the paraphenalia needed to perform your gypsy moth trapping program at your site this year.

You should keep the pheremone and insecticide strips dry and cool until it is time to use them. Use the twist-ties to hang the pheremone and insecticide strips inside the traps. Be sure to read the enclosed label for the insecticide strip and avoid excessive handling. The traps should be in place by mid-June and checked at least once during the season. When checking the traps, empty all of the contents, count the number of gypsy moths, record the date and number of moths trapped on the enclosed tally sheets, and replace the assembled trap. Traps should be retrieved in late August and a final count made.

Please return a copy of the completed tally sheet when you have finished recording the moth catches. We thank you for your continued participation in our gypsy moth monitoring program. If you have any questions, please contact me or Rod Whiteman.

Sincerely,

/s/ William R. MacFarlane
Forest Technician
Forest Pest Management

United States
Department of
Agriculture

Forest
Service

Northeastern Area
State and Private
Forestry

180 Canfield St.
Morgantown, WV 26505

Reply To: 3460

Date: 5/12/89

Bob Robertson
NTL. FISHERY CENTER
US FISH & WILDLIFE SERVICE
RT,1 BOX 700
KEARNEYSVILLE WV 25430

Dear Bob Robertson:

Enclosed please find:

6 Milk Carton Traps
pheremone strips (little white strips in a zip-lock bag)
insecticide strips (in individual vacuum packed envelopes)
trap hangars
twist ties
directions for assembly of traps
tally sheet(s) for recording moth catches
a copy of the label for the insecticide strip

This should be all of the paraphenalia needed to perform your gypsy moth trapping program at your site this year.

You should keep the pheremone and insecticide strips dry and cool until it is time to use them. Use the twist-ties to hang the pheremone and insecticide strips inside the traps. Be sure to read the enclosed label for the insecticide strip and avoid excessive handling. The traps should be in place by mid-June and checked at least once during the season. When checking the traps, empty all of the contents, count the number of gypsy moths, record the date and number of moths trapped on the enclosed tally sheets, and replace the assembled trap. Traps should be retrieved in late August and a final count made.

Please return a copy of the completed tally sheet when you have finished recording the moth catches. We thank you for your continued participation in our gypsy moth monitoring program. If you have any questions, please contact me or Rod Whiteman.

Sincerely,

/s/ William R. MacFarlane
Forest Technician
Forest Pest Management

United States
Department of
Agriculture

Forest
Service

Northeastern Area
State and Private
Forestry

180 Canfield St.
Morgantown, WV 26505

Reply To: 3460

Date: 5/12/89

Harold C. Olson
USDI FISH AND WILDL SER
EASTERN NECK NATL WILDL REF
RT.2, BOX 225
ROCK HALL MD 21661

Dear Harold C. Olson:

Enclosed please find:

5 Milk Carton Traps
pheremone strips (little white strips in a zip-lock bag)
insecticide strips (in individual vacuum packed envelopes)
trap hangars
twist ties
directions for assembly of traps
tally sheet(s) for recording moth catches
a copy of the label for the insecticide strip

This should be all of the paraphenalia needed to perform your gypsy moth trapping program at your site this year.

You should keep the pheremone and insecticide strips dry and cool until it is time to use them. Use the twist-ties to hang the pheremone and insecticide strips inside the traps. Be sure to read the enclosed label for the insecticide strip and avoid excessive handling. The traps should be in place by mid-June and checked at least once during the season. When checking the traps, empty all of the contents, count the number of gypsy moths, record the date and number of moths trapped on the enclosed tally sheets, and replace the assembled trap. Traps should be retrieved in late August and a final count made.

Please return a copy of the completed tally sheet when you have finished recording the moth catches. We thank you for your continued participation in our gypsy moth monitoring program. If you have any questions, please contact me or Rod Whiteman.

Sincerely,

/s/ William R. MacFarlane
Forest Technician
Forest Pest Management

United States
Department of
Agriculture

Forest
Service

Northeastern Area
State and Private
Forestry

180 Canfield St.
Morgantown, WV 26505

Reply To: 3460

Date: 5/12/89

Harold Shepard
EAST LYNN LAKE
U.S. ARMY CORPS ENGINEERS
STAR ROUTE BOX 35-C
EAST LYNN WV 25512-9744

Dear Harold Shepard:

Enclosed please find:

33 Milk Carton Traps
pheremone strips (little white strips in a zip-lock bag)
insecticide strips (in individual vacuum packed envelopes)
trap hangars
twist ties
directions for assembly of traps
tally sheet(s) for recording moth catches
a copy of the label for the insecticide strip

This should be all of the paraphenalia needed to perform your gypsy moth trapping program at your site this year.

You should keep the pheremone and insecticide strips dry and cool until it is time to use them. Use the twist-ties to hang the pheremone and insecticide strips inside the traps. Be sure to read the enclosed label for the insecticide strip and avoid excessive handling. The traps should be in place by mid-June and checked at least once during the season. When checking the traps, empty all of the contents, count the number of gypsy moths, record the date and number of moths trapped on the enclosed tally sheets, and replace the assembled trap. Traps should be retrieved in late August and a final count made.

Please return a copy of the completed tally sheet when you have finished recording the moth catches. We thank you for your continued participation in our gypsy moth monitoring program. If you have any questions, please contact me or Rod Whiteman.

Sincerely,

/s/ William R. MacFarlane
Forest Technician
Forest Pest Management

United States Forest Northeastern Area 180 Canfield St.
Department of Service State and Private Morgantown, WV 26505
Agriculture Forestry

Reply To: 3460

Date: 5/12/89

Bill Wilson
CROOKED CREEK LAKE
U.S. ARMY CORPS OF ENGINEERS
R.D. 3
FORD CITY PA 16226-8816

Dear Bill Wilson:

Enclosed please find:

11 Milk Carton Traps
pheremone strips (little white strips in a zip-lock bag)
insecticide strips (in individual vacuum packed envelopes)
trap hangars
twist ties
directions for assembly of traps
tally sheet(s) for recording moth catches
a copy of the label for the insecticide strip

This should be all of the paraphenalia needed to perform your gypsy moth trapping program at your site this year.

You should keep the pheremone and insecticide strips dry and cool until it is time to use them. Use the twist-ties to hang the pheremone and insecticide strips inside the traps. Be sure to read the enclosed label for the insecticide strip and avoid excessive handling. The traps should be in place by mid-June and checked at least once during the season. When checking the traps, empty all of the contents, count the number of gypsy moths, record the date and number of moths trapped on the enclosed tally sheets, and replace the assembled trap. Traps should be retrieved in late August and a final count made.

Please return a copy of the completed tally sheet when you have finished recording the moth catches. We thank you for your continued participation in our gypsy moth monitoring program. If you have any questions, please contact me or Rod Whiteman.

Sincerely,

/s/ William R. MacFarlane
Forest Technician
Forest Pest Management

United States Forest Northeastern Area 180 Canfield St.
Department of Service State and Private Morgantown, WV 26505
Agriculture Forestry

Reply To: 3460

Date: 5/12/89

James F. Shusko
CONEMAUGH RIVER LAKE
U.S. ARMY CORPS OF ENGINEERS
RD. 1 BOX 702
SALTSBURG PA 15681-9544

Dear James F. Shusko:

Enclosed please find:

36 Milk Carton Traps
pheremone strips (little white strips in a zip-lock bag)
insecticide strips (in individual vacuum packed envelopes)
trap hangars
twist ties
directions for assembly of traps
tally sheet(s) for recording moth catches
a copy of the label for the insecticide strip

This should be all of the paraphenalia needed to perform your gypsy moth trapping program at your site this year.

You should keep the pheremone and insecticide strips dry and cool until it is time to use them. Use the twist-ties to hang the pheremone and insecticide strips inside the traps. Be sure to read the enclosed label for the insecticide strip and avoid excessive handling. The traps should be in place by mid-June and checked at least once during the season. When checking the traps, empty all of the contents, count the number of gypsy moths, record the date and number of moths trapped on the enclosed tally sheets, and replace the assembled trap. Traps should be retrieved in late August and a final count made.

Please return a copy of the completed tally sheet when you have finished recording the moth catches. We thank you for your continued participation in our gypsy moth monitoring program. If you have any questions, please contact me or Rod Whiteman.

Sincerely,

/s/ William R. MacFarlane
Forest Technician
Forest Pest Management

United States Forest Northeastern Area 180 Canfield St.
Department of Service State and Private Morgantown, WV 26505
Agriculture Forestry

Reply To: 3460

Date: 5/12/89

Joseph McPherson
BURNSVILLE LAKE
U.S. ARMY CORPS ENGINEERS
P.O. BOX 347
BURNSVILLE WV 26335

Dear Joseph McPherson:

Enclosed please find:

21 Milk Carton Traps
pheremone strips (little white strips in a zip-lock bag)
insecticide strips (in individual vacuum packed envelopes)
trap hangars
twist ties
directions for assembly of traps
tally sheet(s) for recording moth catches
a copy of the label for the insecticide strip

This should be all of the paraphenalia needed to perform your gypsy moth trapping program at your site this year.

You should keep the pheremone and insecticide strips dry and cool until it is time to use them. Use the twist-ties to hang the pheremone and insecticide strips inside the traps. Be sure to read the enclosed label for the insecticide strip and avoid excessive handling. The traps should be in place by mid-June and checked at least once during the season. When checking the traps, empty all of the contents, count the number of gypsy moths, record the date and number of moths trapped on the enclosed tally sheets, and replace the assembled trap. Traps should be retrieved in late August and a final count made.

Please return a copy of the completed tally sheet when you have finished recording the moth catches. We thank you for your continued participation in our gypsy moth monitoring program. If you have any questions, please contact me or Rod Whiteman.

Sincerely,

/s/ William R. MacFarlane
Forest Technician
Forest Pest Management

United States
Department of
Agriculture

Forest
Service

Northeastern Area
State and Private
Forestry

180 Canfield St.
Morgantown, WV 26505

Reply To: 3460

Date: 5/12/89

Eskridge
BLUESTONE LAKE
U.S. ARMY CORPS ENGINEERS
701 MILLER AVE.
HINTON WV 25951

Dear David Eskridge:

Enclosed please find:

26 Milk Carton Traps
pheremone strips (little white strips in a zip-lock bag)
insecticide strips (in individual vacuum packed envelopes)
trap hangars
twist ties
directions for assembly of traps
tally sheet(s) for recording moth catches
a copy of the label for the insecticide strip

This should be all of the paraphenalia needed to perform your gypsy moth trapping program at your site this year.

You should keep the pheremone and insecticide strips dry and cool until it is time to use them. Use the twist-ties to hang the pheremone and insecticide strips inside the traps. Be sure to read the enclosed label for the insecticide strip and avoid excessive handling. The traps should be in place by mid-June and checked at least once during the season. When checking the traps, empty all of the contents, count the number of gypsy moths, record the date and number of moths trapped on the enclosed tally sheets, and replace the assembled trap. Traps should be retrieved in late August and a final count made.

Please return a copy of the completed tally sheet when you have finished recording the moth catches. We thank you for your continued participation in our gypsy moth monitoring program. If you have any questions, please contact me or Rod Whiteman.

Sincerely,

/s/ William R. MacFarlane
Forest Technician
Forest Pest Management

United States Forest Northeastern Area 180 Canfield St.
Department of Service State and Private Morgantown, WV 26505
Agriculture Forestry

Reply To: 3460

Date: 5/12/89

Don Perkuchin
BLACKWATER NATL WILDL REF
USDI FISH AND WILDL SER
RT.1, BOX 121
CAMBRIDGE MD 21613

Dear Don Perkuchin:

Enclosed please find:

10 Milk Carton Traps
pheremone strips (little white strips in a zip-lock bag)
insecticide strips (in individual vacuum packed envelopes)
trap hangars
twist ties
directions for assembly of traps
tally sheet(s) for recording moth catches
a copy of the label for the insecticide strip

This should be all of the paraphenalia needed to perform your gypsy moth trapping program at your site this year.

You should keep the pheremone and insecticide strips dry and cool until it is time to use them. Use the twist-ties to hang the pheremone and insecticide strips inside the traps. Be sure to read the enclosed label for the insecticide strip and avoid excessive handling. The traps should be in place by mid-June and checked at least once during the season. When checking the traps, empty all of the contents, count the number of gypsy moths, record the date and number of moths trapped on the enclosed tally sheets, and replace the assembled trap. Traps should be retrieved in late August and a final count made.

Please return a copy of the completed tally sheet when you have finished recording the moth catches. We thank you for your continued participation in our gypsy moth monitoring program. If you have any questions, please contact me or Rod Whiteman.

Sincerely,

/s/ William R. MacFarlane
Forest Technician
Forest Pest Management

United States Forest Northeastern Area 180 Canfield St.
Department of Service State and Private Morgantown, WV 26505
Agriculture Forestry

Reply To: 3460

Date: 5/12/89

Mack Little
BEECH FORK LAKE
U.S. ARMY CORPS ENGINEERS
P.O. BOX 600
LAVALETTE WV 25535

Dear Mack Little:

Enclosed please find:

15 Milk Carton Traps
pheremone strips (little white strips in a zip-lock bag)
insecticide strips (in individual vacuum packed envelopes)
trap hangars
twist ties
directions for assembly of traps
tally sheet(s) for recording moth catches
a copy of the label for the insecticide strip

This should be all of the paraphenalia needed to perform your gypsy moth trapping program at your site this year.

You should keep the pheremone and insecticide strips dry and cool until it is time to use them. Use the twist-ties to hang the pheremone and insecticide strips inside the traps. Be sure to read the enclosed label for the insecticide strip and avoid excessive handling. The traps should be in place by mid-June and checked at least once during the season. When checking the traps, empty all of the contents, count the number of gypsy moths, record the date and number of moths trapped on the enclosed tally sheets, and replace the assembled trap. Traps should be retrieved in late August and a final count made.

Please return a copy of the completed tally sheet when you have finished recording the moth catches. We thank you for your continued participation in our gypsy moth monitoring program. If you have any questions, please contact me or Rod Whiteman.

Sincerely,

/s/ William R. MacFarlane
Forest Technician
Forest Pest Management

United States Forest Northeastern Area 180 Canfield St.
Department of Service State and Private Morgantown, WV 26505
Agriculture Forestry

Reply To: 3460

Date: 5/12/89

Gordon Olsen
ASSATEAGUE IS. NTL. SEASHORE
NATIONAL PARK SERVICE
RT. 2 BOX 294
BERLIN MD 21811

Dear Gordon Olsen:

Enclosed please find:

10 Milk Carton Traps
pheremone strips (little white strips in a zip-lock bag)
insecticide strips (in individual vacuum packed envelopes)
trap hangars
twist ties
directions for assembly of traps
tally sheet(s) for recording moth catches
a copy of the label for the insecticide strip

This should be all of the paraphenalia needed to perform your gypsy moth trapping program at your site this year.

You should keep the pheremone and insecticide strips dry and cool until it is time to use them. Use the twist-ties to hang the pheremone and insecticide strips inside the traps. Be sure to read the enclosed label for the insecticide strip and avoid excessive handling. The traps should be in place by mid-June and checked at least once during the season. When checking the traps, empty all of the contents, count the number of gypsy moths, record the date and number of moths trapped on the enclosed tally sheets, and replace the assembled trap. Traps should be retrieved in late August and a final count made.

Please return a copy of the completed tally sheet when you have finished recording the moth catches. We thank you for your continued participation in our gypsy moth monitoring program. If you have any questions, please contact me or Rod Whiteman.

Sincerely,

/s/ William R. MacFarlane
Forest Technician
Forest Pest Management

United States Forest Northeastern Area 180 Canfield St.
Department of Service State and Private Morgantown, WV 26505
Agriculture Forestry

Reply To: 3460

Date: 5/12/89

Rick Hyder
U.S. DEPT. OF INTERIOR
SMITHSONIAN INSTITUTE
NATIONAL ZOOLOGICAL PARK
WASHINGTON DC 20008

Dear Rick Hyder:

Enclosed please find:

5 Milk Carton Traps
pheremone strips (little white strips in a zip-lock bag)
insecticide strips (in individual vacuum packed envelopes)
trap hangars
twist ties
directions for assembly of traps
tally sheet(s) for recording moth catches
a copy of the label for the insecticide strip

This should be all of the paraphenalia needed to perform your gypsy moth trapping program at your site this year.

You should keep the pheremone and insecticide strips dry and cool until it is time to use them. Use the twist-ties to hang the pheremone and insecticide strips inside the traps. Be sure to read the enclosed label for the insecticide strip and avoid excessive handling. The traps should be in place by mid-June and checked at least once during the season. When checking the traps, empty all of the contents, count the number of gypsy moths, record the date and number of moths trapped on the enclosed tally sheets, and replace the assembled trap. Traps should be retrieved in late August and a final count made.

Please return a copy of the completed tally sheet when you have finished recording the moth catches. We thank you for your continued participation in our gypsy moth monitoring program. If you have any questions, please contact me or Rod Whiteman.

Sincerely,

/s/ William R. MacFarlane
Forest Technician
Forest Pest Management

United States
Department of
Agriculture

Forest
Service

Northeastern Area
State and Private
Forestry

180 Canfield St.
Morgantown, WV 26505

Reply To: 3460

Date: 5/12/89

David Zagurney
WILLIAM H. HARSHA LAKE
U.S. ARMY CORPS OF ENGINEERS
2165 SLADE RD.
BATAVIA OH 45103

Dear David Zagurney:

Enclosed please find:

15 Delta Traps
directions for assembly of traps
tally sheet(s) for recording moth catches

This should be all of the paraphenalia needed to perform your gypsy moth trapping program at your site this year.

The pheremone strip has already been stapled to the trap. The inside of the traps are coated with a sticky substance that should snare any males lured into the trap. All you will need to do is assemble the traps and hang them up.

The traps should be in place by mid-June and should be removed from the field in late August, after all of the males have died. The trap can then be opened and the number of moths caught recorded on the enclosed tally sheet.

Please return a copy of the completed tally sheet when you have finished recording the moth catches. We thank you for your continued participation in our gypsy moth monitoring program. If you have any questions, please contact me or Rod Whiteman.

Sincerely,

/s/ William R. MacFarlane
Forest Technician
Forest Pest Management

United States Forest Northeastern Area 180 Canfield St.
Department of Service State and Private Morgantown, WV 26505
Agriculture Forestry

Reply To: 3460

Date: 5/12/89

Don Clements
NTL. FISH HATCHERY
US FISH & WILDLIFE SERVICE
PO BOX F
WHT SLPHR SPGS WV 24986-

Dear Don Clements:

Enclosed please find:

3 Delta Traps

directions for assembly of traps
tally sheet(s) for recording moth catches

This should be all of the paraphenalia needed to perform your gypsy moth trapping program at your site this year.

The pheromone strip has already been stapled to the trap. The inside of the traps are coated with a sticky substance that should snare any males lured into the trap. All you will need to do is assemble the traps and hang them up.

The traps should be in place by mid-June and should be removed from the field in late August, after all of the males have died. The trap can then be opened and the number of moths caught recorded on the enclosed tally sheet.

Please return a copy of the completed tally sheet when you have finished recording the moth catches. We thank you for your continued participation in our gypsy moth monitoring program. If you have any questions, please contact me or Rod Whiteman.

Sincerely,

/s/ William R. MacFarlane
Forest Technician
Forest Pest Management

United States Forest Northeastern Area 180 Canfield St.
Department of Service State and Private Morgantown, WV 26505
Agriculture Forestry

Reply To: 3460

Date: 5/12/89

James Pratt
WEST FORK MILL CREEK
U.S. ARMY CORPS OF ENGINEERS
10558 MCKELVEY RD.
CINCINNATI OH 45240-3930

Dear James Pratt:

Enclosed please find:

10 Delta Traps
directions for assembly of traps
tally sheet(s) for recording moth catches

This should be all of the paraphenalia needed to perform your gypsy moth trapping program at your site this year.

The pheremone strip has already been stapled to the trap. The inside of the traps are coated with a sticky substance that should snare any males lured into the trap. All you will need to do is assemble the traps and hang them up.

The traps should be in place by mid-June and should be removed from the field in late August, after all of the males have died. The trap can then be opened and the number of moths caught recorded on the enclosed tally sheet.

Please return a copy of the completed tally sheet when you have finished recording the moth catches. We thank you for your continued participation in our gypsy moth monitoring program. If you have any questions, please contact me or Rod Whiteman.

Sincerely,

/s/ William R. MacFarlane
Forest Technician
Forest Pest Management

United States Department of Agriculture	Forest Service	Northeastern Area State and Private Forestry	180 Canfield St. Morgantown, WV 26505
---	-------------------	--	--

Reply To: 3460

Date: 5/12/89

James Duguid
SALAMONIE LAKE
U.S. ARMY CORPS ENGINEERS
RR 1 BOX 40
LAGRO IN 46941-9717

Dear James Duguid:

Enclosed please find:

16 Delta Traps
directions for assembly of traps
tally sheet(s) for recording moth catches

This should be all of the paraphenalia needed to perform your gypsy moth trapping program at your site this year.

The pheremone strip has already been stapled to the trap. The inside of the traps are coated with a sticky substance that should snare any males lured into the trap. All you will need to do is assemble the traps and hang them up.

The traps should be in place by mid-June and should be removed from the field in late August, after all of the males have died. The trap can then be opened and the number of moths caught recorded on the enclosed tally sheet.

Please return a copy of the completed tally sheet when you have finished recording the moth catches. We thank you for your continued participation in our gypsy moth monitoring program. If you have any questions, please contact me or Rod Whiteman.

Sincerely,

/s/ William R. MacFarlane
Forest Technician
Forest Pest Management

United States Forest Service Northeastern Area 180 Canfield St.
Department of Service State and Private Morgantown, WV 26505
Agriculture Forestry

Reply To: 3460

Date: 5/12/89

Tim Morgan
RAVENNA ARMY AMMUNITION PLT.
U.S. ARMY
8451 STATE RT. 5
RAVENNA OH 44266-9297

Dear Tim Morgan:

Enclosed please find:

30 Delta Traps
directions for assembly of traps
tally sheet(s) for recording moth catches

This should be all of the paraphenalia needed to perform your gypsy moth trapping program at your site this year.

The pheromone strip has already been stapled to the trap. The inside of the traps are coated with a sticky substance that should snare any males lured into the trap. All you will need to do is assemble the traps and hang them up.

The traps should be in place by mid-June and should be removed from the field in late August, after all of the males have died. The trap can then be opened and the number of moths caught recorded on the enclosed tally sheet.

Please return a copy of the completed tally sheet when you have finished recording the moth catches. We thank you for your continued participation in our gypsy moth monitoring program. If you have any questions, please contact me or Rod Whiteman.

Sincerely,

/s/ William R. MacFarlane
Forest Technician
Forest Pest Management

United States Forest Northeastern Area 180 Canfield St.
Department of Service State and Private Morgantown, WV 26505
Agriculture Forestry

Reply To: 3460

Date: 5/30/89

Ron Hotter
R.D. BAILEY LAKE
U.S. ARMY CORPS OF ENGINEERS
DRAWER 70
JUSTICE, WV 24851-0070

Dear Mr. Hotter:

Enclosed please find:

25 Delta Traps
directions for trap assembly
tally sheet(s) for recording moth catches

This should be all of the paraphenalia needed to perform your gypsy moth trapping program at your site this year.

The pheremone strip has already been stapled to the trap. The inside of the traps are coated with a sticky substance that should snare any males lured into the trap. All you will need to do is assemble the traps and hang them up.

The traps should be in place by mid-June and should be removed from the field in late-August, after all of the males have died. The trap can then be opened and the number of moths caught recorded on the enclosed tally sheet.

Please return a copy of the completed tally sheet when you have finished recording the moth catches. We thank you for your continued participation in our gypsy moth monitoring program. If you have any questions, please contact me or Rod Whiteman.

Sincerely,

/s/ William R. MacFarlane
Forest Technician
Forest Pest Management

United States
Department of
Agriculture

Forest Service

Northeastern Area State and Private Forestry

180 Canfield St.
Morgantown, WV 26505

Reply To: 3460

Date: 5/12/89

Robert Jones
PAINT CREEK LAKE
U.S. ARMY CORPS ENGINEERS
504 RESERVOIR RD.
BAINBRIDGE OH 45612

Dear Robert Jones:

Enclosed please find:

10 Delta Traps
directions for assembly of traps
tally sheet(s) for recording moth catches

This should be all of the paraphenalia needed to perform your gypsy moth trapping program at your site this year.

The pheromone strip has already been stapled to the trap. The inside of the traps are coated with a sticky substance that should snare any males lured into the trap. All you will need to do is assemble the traps and hang them up.

The traps should be in place by mid-June and should be removed from the field in late August, after all of the males have died. The trap can then be opened and the number of moths caught recorded on the enclosed tally sheet.

Please return a copy of the completed tally sheet when you have finished recording the moth catches. We thank you for your continued participation in our gypsy moth monitoring program. If you have any questions, please contact me or Rod Whiteman.

Sincerely,

/s/ William R. MacFarlane
Forest Technician
Forest Pest Management

United States
Department of
Agriculture

Forest
Service

Northeastern Area
State and Private
Forestry

180 Canfield St.
Morgantown, WV 26505

Reply To: 3460

Date: 5/12/89

Immanuel Johnson
USDI FISH AND WILDLIFE SER.
OTTAWA NATL WILDLIFE SER
14000 WEST STATE ROUTE 2
OAK HARBOR OH 43449

Dear Immanuel Johnson:

Enclosed please find:

7 Delta Traps
directions for assembly of traps
tally sheet(s) for recording moth catches

This should be all of the paraphenalia needed to perform your gypsy moth trapping program at your site this year.

The pheremone strip has already been stapled to the trap. The inside of the traps are coated with a sticky substance that should snare any males lured into the trap. All you will need to do is assemble the traps and hang them up.

The traps should be in place by mid-June and should be removed from the field in late August, after all of the males have died. The trap can then be opened and the number of moths caught recorded on the enclosed tally sheet.

Please return a copy of the completed tally sheet when you have finished recording the moth catches. We thank you for your continued participation in our gypsy moth monitoring program. If you have any questions, please contact me or Rod Whiteman.

Sincerely,

/s/ William R. MacFarlane
Forest Technician
Forest Pest Management

United States Forest Northeastern Area 180 Canfield St.
Department of Service State and Private Morgantown, WV 26505
Agriculture Forestry

Reply To: 3460

Date: 5/12/89

Jim McCormick
N. BRANCH OF KOKOSING RIVER
U.S. ARMY CORPS ENGINEERS
36007 SR 715
WARSAW OH 43844

Dear Jim McCormick:

Enclosed please find:

9 Delta Traps
directions for assembly of traps
tally sheet(s) for recording moth catches

This should be all of the paraphenalia needed to perform your gypsy moth trapping program at your site this year.

The pheremone strip has already been stapled to the trap. The inside of the traps are coated with a sticky substance that should snare any males lured into the trap. All you will need to do is assemble the traps and hang them up.

The traps should be in place by mid-June and should be removed from the field in late August, after all of the males have died. The trap can then be opened and the number of moths caught recorded on the enclosed tally sheet.

Please return a copy of the completed tally sheet when you have finished recording the moth catches. We thank you for your continued participation in our gypsy moth monitoring program. If you have any questions, please contact me or Rod Whiteman.

Sincerely,

/s/ William R. MacFarlane
Forest Technician
Forest Pest Management

United States Forest Northeastern Area 180 Canfield St.
Department of Service State and Private Morgantown, WV 26505
Agriculture Forestry

Reply To: 3460

Date: 5/12/89

Charles Scheffe
USDI FISH AND WILDLIFE SER
MUSCATATUCK NATL WILDL. REF.
P.O. BOX 631
SEYMORE IN 47274

Dear Charles Scheffe:

Enclosed please find:

20 Delta Traps
directions for assembly of traps
tally sheet(s) for recording moth catches

This should be all of the paraphenalia needed to perform your gypsy moth trapping program at your site this year.

The pheremone strip has already been stapled to the trap. The inside of the traps are coated with a sticky substance that should snare any males lured into the trap. All you will need to do is assemble the traps and hang them up.

The traps should be in place by mid-June and should be removed from the field in late August, after all of the males have died. The trap can then be opened and the number of moths caught recorded on the enclosed tally sheet.

Please return a copy of the completed tally sheet when you have finished recording the moth catches. We thank you for your continued participation in our gypsy moth monitoring program. If you have any questions, please contact me or Rod Whiteman.

Sincerely,

/s/ William R. MacFarlane
Forest Technician
Forest Pest Management

United States
Department of
Agriculture

Forest
Service

Northeastern Area State and Private Forestry

180 Canfield St.
Morgantown, WV 26505

Reply To: 3460

Date: 5/12/89

Ken Apschikat
MOUND CITY GROUP NTL. MONUNT.
NPS
16062 STATE ROUTE 104
CHILLICOTHE OH 45601

Dear Ken Apschikat:

Enclosed please find:

6 Delta Traps

directions for assembly of traps
tally sheet(s) for recording moth catches

This should be all of the paraphenalia needed to perform your gypsy moth trapping program at your site this year.

The pheromone strip has already been stapled to the trap. The inside of the traps are coated with a sticky substance that should snare any males lured into the trap. All you will need to do is assemble the traps and hang them up.

The traps should be in place by mid-June and should be removed from the field in late August, after all of the males have died. The trap can then be opened and the number of moths caught recorded on the enclosed tally sheet.

Please return a copy of the completed tally sheet when you have finished recording the moth catches. We thank you for your continued participation in our gypsy moth monitoring program. If you have any questions, please contact me or Rod Whiteman.

Sincerely,

/s/ William R. MacFarlane
Forest Technician
Forest Pest Management

United States
Department of
Agriculture

Forest
Service

Northeastern Area
State and Private
Forestry

180 Canfield St.
Morgantown, WV 26505

Reply To: 3460

Date: 5/12/89

Herb Allen
MOSQUITO CREEK LAKE
U.S. ARMY CORPS OF ENGINEERS
2961 B WARREN-REEDVILLE RD.
CORTLAND OH 44410-9321

Dear Herb Allen:

Enclosed please find:

10 Delta Traps
directions for assembly of traps
tally sheet(s) for recording moth catches

This should be all of the paraphenalia needed to perform your gypsy moth trapping program at your site this year.

The pheremone strip has already been stapled to the trap. The inside of the traps are coated with a sticky substance that should snare any males lured into the trap. All you will need to do is assemble the traps and hang them up.

The traps should be in place by mid-June and should be removed from the field in late August, after all of the males have died. The trap can then be opened and the number of moths caught recorded on the enclosed tally sheet.

Please return a copy of the completed tally sheet when you have finished recording the moth catches. We thank you for your continued participation in our gypsy moth monitoring program. If you have any questions, please contact me or Rod Whiteman.

Sincerely,

/s/ William R. MacFarlane
Forest Technician
Forest Pest Management

United States Department of Agriculture	Forest Service	Northeastern Area State and Private Forestry	180 Canfield St. Morgantown, WV 26505
---	-------------------	--	--

Reply To: 3460

Date: 5/12/89

Michael Graham
MONROE LAKE
U.S. ARMY CORPS ENGINEERS
1620 E. MONROE DAM CT.
BLOOMINGTON IN 47401-8774

Dear Michael Graham:

Enclosed please find:

14 Delta Traps
directions for assembly of traps
tally sheet(s) for recording moth catches

This should be all of the paraphenalia needed to perform your gypsy moth trapping program at your site this year.

The pheremone strip has already been stapled to the trap. The inside of the traps are coated with a sticky substance that should snare any males lured into the trap. All you will need to do is assemble the traps and hang them up.

The traps should be in place by mid-June and should be removed from the field in late August, after all of the males have died. The trap can then be opened and the number of moths caught recorded on the enclosed tally sheet.

Please return a copy of the completed tally sheet when you have finished recording the moth catches. We thank you for your continued participation in our gypsy moth monitoring program. If you have any questions, please contact me or Rod Whiteman.

Sincerely,

/s/ William R. MacFarlane
Forest Technician
Forest Pest Management

United States
Department of
Agriculture

Forest
Service

Northeastern Area
State and Private
Forestry

180 Canfield St.
Morgantown, WV 26505

Reply To: 3460

Date: 5/12/89

Valerie Krenicky
MOHAWK DAM
U.S. ARMY CORPS ENGINEERS
36007 SR 715
WARSAW OH 43844

Dear Valerie Krenicky:

Enclosed please find:

9 Delta Traps
directions for assembly of traps
tally sheet(s) for recording moth catches

This should be all of the paraphenalia needed to perform your gypsy moth trapping program at your site this year.

The pheremone strip has already been stapled to the trap. The inside of the traps are coated with a sticky substance that should snare any males lured into the trap. All you will need to do is assemble the traps and hang them up.

The traps should be in place by mid-June and should be removed from the field in late August, after all of the males have died. The trap can then be opened and the number of moths caught recorded on the enclosed tally sheet.

Please return a copy of the completed tally sheet when you have finished recording the moth catches. We thank you for your continued participation in our gypsy moth monitoring program. If you have any questions, please contact me or Rod Whiteman.

Sincerely,

/s/ William R. MacFarlane
Forest Technician
Forest Pest Management

United States Forest Service Northeastern Area 180 Canfield St.
Department of Service State and Private Morgantown, WV 26505
Agriculture Forestry

Reply To: 3460

Date: 5/12/89

Daniel Woodward
MISSISSINEWA LAKE
US ARMY CORPS OF ENGINEERS
R.R. 1, BOX202-A
PERU IN 46970-9745

Dear Daniel Woodward:

Enclosed please find:

20 Delta Traps
directions for assembly of traps
tally sheet(s) for recording moth catches

This should be all of the paraphenalia needed to perform your gypsy moth trapping program at your site this year.

The pheromone strip has already been stapled to the trap. The inside of the traps are coated with a sticky substance that should snare any males lured into the trap. All you will need to do is assemble the traps and hang them up.

The traps should be in place by mid-June and should be removed from the field in late August, after all of the males have died. The trap can then be opened and the number of moths caught recorded on the enclosed tally sheet.

Please return a copy of the completed tally sheet when you have finished recording the moth catches. We thank you for your continued participation in our gypsy moth monitoring program. If you have any questions, please contact me or Rod Whiteman.

Sincerely,

/s/ William R. MacFarlane
Forest Technician
Forest Pest Management

United States
Department of
Agriculture

Forest
Service

Northeastern Area
State and Private
Forestry

180 Canfield St.
Morgantown, WV 26505

Reply To: 3460

Date: 5/12/89

Susan E. Sayers
MICHAEL J. KIRWIN DAM
U.S. ARMY CORPS OF ENGINEERS
P.O. BOX 58
WAYLAND OH 44285

Dear Susan E. Sayers:

Enclosed please find:

10 Delta Traps
directions for assembly of traps
tally sheet(s) for recording moth catches

This should be all of the paraphenalia needed to perform your gypsy moth trapping program at your site this year.

The pheremone strip has already been stapled to the trap. The inside of the traps are coated with a sticky substance that should snare any males lured into the trap. All you will need to do is assemble the traps and hang them up.

The traps should be in place by mid-June and should be removed from the field in late August, after all of the males have died. The trap can then be opened and the number of moths caught recorded on the enclosed tally sheet.

Please return a copy of the completed tally sheet when you have finished recording the moth catches. We thank you for your continued participation in our gypsy moth monitoring program. If you have any questions, please contact me or Rod Whiteman.

Sincerely,

/s/ William R. MacFarlane
Forest Technician
Forest Pest Management

United States Forest Northeastern Area 180 Canfield St.
Department of Service State and Private Morgantown, WV 26505
Agriculture Forestry

Reply To: 3460

Date: 5/12/89

Karen Estock
LOYALHANNA LAKE
U.S. ARMY CORPS OF ENGINEERS
RD. 2
SALTSBURG PA 15681

Dear Karen Estock:

Enclosed please find:

5 Delta Traps
directions for assembly of traps
tally sheet(s) for recording moth catches

This should be all of the paraphenalia needed to perform your gypsy moth trapping program at your site this year.

The pheremone strip has already been stapled to the trap. The inside of the traps are coated with a sticky substance that should snare any males lured into the trap. All you will need to do is assemble the traps and hang them up.

The traps should be in place by mid-June and should be removed from the field in late August, after all of the males have died. The trap can then be opened and the number of moths caught recorded on the enclosed tally sheet.

Please return a copy of the completed tally sheet when you have finished recording the moth catches. We thank you for your continued participation in our gypsy moth monitoring program. If you have any questions, please contact me or Rod Whiteman.

Sincerely,

/s/ William R. MacFarlane
Forest Technician
Forest Pest Management

United States Forest Northeastern Area 180 Canfield St.
Department of Service State and Private Morgantown, WV 26505
Agriculture Forestry

Reply To: 3460

Date: 5/12/89

Russ Whitlock
LINCOLN BOYHOOD NTL. MEM.
NATIONAL PARK SERVICE

LINCOLN CITY IN 47552

Dear Russ Whitlock:

Enclosed please find:

7 Delta Traps
directions for assembly of traps
tally sheet(s) for recording moth catches

This should be all of the paraphenalia needed to perform your gypsy moth trapping program at your site this year.

The pheremone strip has already been stapled to the trap. The inside of the traps are coated with a sticky substance that should snare any males lured into the trap. All you will need to do is assemble the traps and hang them up.

The traps should be in place by mid-June and should be removed from the field in late August, after all of the males have died. The trap can then be opened and the number of moths caught recorded on the enclosed tally sheet.

Please return a copy of the completed tally sheet when you have finished recording the moth catches. We thank you for your continued participation in our gypsy moth monitoring program. If you have any questions, please contact me or Rod Whiteman.

Sincerely,

/s/ William R. MacFarlane
Forest Technician
Forest Pest Management

United States Department of Agriculture	Forest Service	Northeastern Area State and Private Forestry	180 Canfield St. Morgantown, WV 26505
---	-------------------	--	--

Reply To: 3460

Date: 5/12/89

Ken Knouf
NATURAL RESOURCE MANAGER
JEFFERSON PROVING GROUND
U.S. DEPT. OF ARMY
MADISON IN 47250

Dear Ken Knouf:

Enclosed please find:

25 Delta Traps
directions for assembly of traps
tally sheet(s) for recording moth catches

This should be all of the paraphenalia needed to perform your gypsy moth trapping program at your site this year.

The pheremone strip has already been stapled to the trap. The inside of the traps are coated with a sticky substance that should snare any males lured into the trap. All you will need to do is assemble the traps and hang them up.

The traps should be in place by mid-June and should be removed from the field in late August, after all of the males have died. The trap can then be opened and the number of moths caught recorded on the enclosed tally sheet.

Please return a copy of the completed tally sheet when you have finished recording the moth catches. We thank you for your continued participation in our gypsy moth monitoring program. If you have any questions, please contact me or Rod Whiteman.

Sincerely,

/s/ William R. MacFarlane
Forest Technician
Forest Pest Management

United States Forest Service Northeastern Area 180 Canfield St.
Department of Service State and Private Morgantown, WV 26505
Agriculture Forestry

Reply To: 3460

Date: 5/12/89

Thomas M. Taylor
INDIANA DUNES NTL. LAKESHORE
NATIONAL PARK SERVICE
1100 N. MINERAL SPRINGS RD.
PORTER IN 46304

Dear Thomas M. Taylor:

Enclosed please find:

15 Delta Traps
directions for assembly of traps
tally sheet(s) for recording moth catches

This should be all of the paraphenalia needed to perform your gypsy moth trapping program at your site this year.

The pheromone strip has already been stapled to the trap. The inside of the traps are coated with a sticky substance that should snare any males lured into the trap. All you will need to do is assemble the traps and hang them up.

The traps should be in place by mid-June and should be removed from the field in late August, after all of the males have died. The trap can then be opened and the number of moths caught recorded on the enclosed tally sheet.

Please return a copy of the completed tally sheet when you have finished recording the moth catches. We thank you for your continued participation in our gypsy moth monitoring program. If you have any questions, please contact me or Rod Whiteman.

Sincerely,

/s/ William R. MacFarlane
Forest Technician
Forest Pest Management

United States
Department of
Agriculture

Forest
Service

Northeastern Area
State and Private
Forestry

180 Canfield St.
Morgantown, WV 26505

Reply To: 3460

Date: 5/12/89

Edward Roberts
IN. ARMY AMMUNITION PLANT
U.S. ARMY
HIGHWAY 62, 101 AMERICA
CHARLESTOWN IN 47111

Dear Edward Roberts:

Enclosed please find:

9 Delta Traps
directions for assembly of traps
tally sheet(s) for recording moth catches

This should be all of the paraphenalia needed to perform your gypsy moth trapping program at your site this year.

The pheremone strip has already been stapled to the trap. The inside of the traps are coated with a sticky substance that should snare any males lured into the trap. All you will need to do is assemble the traps and hang them up.

The traps should be in place by mid-June and should be removed from the field in late August, after all of the males have died. The trap can then be opened and the number of moths caught recorded on the enclosed tally sheet.

Please return a copy of the completed tally sheet when you have finished recording the moth catches. We thank you for your continued participation in our gypsy moth monitoring program. If you have any questions, please contact me or Rod Whiteman.

Sincerely,

/s/ William R. MacFarlane
Forest Technician
Forest Pest Management

United States
Department of
Agriculture

Forest
Service

Northeastern Area
State and Private
Forestry

180 Canfield St.
Morgantown, WV 26505

Reply To: 3460

Date: 5/12/89

Sir
HUNTINGTON LAKE
U.S. ARMY CORPS ENGINEERS
35 N. WARREN RD.
HUNTINGTON IN 46750

Dear Sir:

Enclosed please find:

15 Delta Traps
directions for assembly of traps
tally sheet(s) for recording moth catches

This should be all of the paraphenalia needed to perform your gypsy moth trapping program at your site this year.

The pheremone strip has already been stapled to the trap. The inside of the traps are coated with a sticky substance that should snare any males lured into the trap. All you will need to do is assemble the traps and hang them up.

The traps should be in place by mid-June and should be removed from the field in late August, after all of the males have died. The trap can then be opened and the number of moths caught recorded on the enclosed tally sheet.

Please return a copy of the completed tally sheet when you have finished recording the moth catches. We thank you for your continued participation in our gypsy moth monitoring program. If you have any questions, please contact me or Rod Whiteman.

Sincerely,

/s/ William R. MacFarlane
Forest Technician
Forest Pest Management

United States Forest Northeastern Area 180 Canfield St.
Department of Service State and Private Morgantown, WV 26505
Agriculture Forestry

Reply To: 3460

Date: 5/12/89

Sir
FORT BENJAMIN HARRISON
U.S. ARMY

FT BEN.HARRISON IN 46216-5450

Dear Sir:

Enclosed please find:

10 Delta Traps
directions for assembly of traps
tally sheet(s) for recording moth catches

This should be all of the paraphenalia needed to perform your gypsy moth trapping program at your site this year.

The pheremone strip has already been stapled to the trap. The inside of the traps are coated with a sticky substance that should snare any males lured into the trap. All you will need to do is assemble the traps and hang them up.

The traps should be in place by mid-June and should be removed from the field in late August, after all of the males have died. The trap can then be opened and the number of moths caught recorded on the enclosed tally sheet.

Please return a copy of the completed tally sheet when you have finished recording the moth catches. We thank you for your continued participation in our gypsy moth monitoring program. If you have any questions, please contact me or Rod Whiteman.

Sincerely,

/s/ William R. MacFarlane
Forest Technician
Forest Pest Management

United States Forest Northeastern Area 180 Canfield St.
Department of Service State and Private Morgantown, WV 26505
Agriculture Forestry

Reply To: 3460

Date: 5/12/89

David Thomas
DILLON LAKE
U.S. ARMY CORPS ENGINEERS
4696 DILLON DAM RD
ZANESVILLE OH 43701-9652

Dear David Thomas:

Enclosed please find:

16 Delta Traps
directions for assembly of traps
tally sheet(s) for recording moth catches

This should be all of the paraphenalia needed to perform your gypsy moth trapping program at your site this year.

The pheromone strip has already been stapled to the trap. The inside of the traps are coated with a sticky substance that should snare any males lured into the trap. All you will need to do is assemble the traps and hang them up.

The traps should be in place by mid-June and should be removed from the field in late August, after all of the males have died. The trap can then be opened and the number of moths caught recorded on the enclosed tally sheet.

Please return a copy of the completed tally sheet when you have finished recording the moth catches. We thank you for your continued participation in our gypsy moth monitoring program. If you have any questions, please contact me or Rod Whiteman.

Sincerely,

/s/ William R. MacFarlane
Forest Technician
Forest Pest Management

United States Forest Northeastern Area 180 Canfield St.
Department of Service State and Private Morgantown, WV 26505
Agriculture Forestry

Reply To: 3460

Date: 5/12/89

Thomas Parker
DELAWARE LAKE
U.S. ARMY CORPS ENGINEERS
3920 US 23 NORTH
DELAWARE OH 43015-9708

Dear Thomas Parker:

Enclosed please find:

12 Delta Traps
directions for assembly of traps
tally sheet(s) for recording moth catches

This should be all of the paraphenalia needed to perform your gypsy moth trapping program at your site this year.

The pheremone strip has already been stapled to the trap. The inside of the traps are coated with a sticky substance that should snare any males lured into the trap. All you will need to do is assemble the traps and hang them up.

The traps should be in place by mid-June and should be removed from the field in late August, after all of the males have died. The trap can then be opened and the number of moths caught recorded on the enclosed tally sheet.

Please return a copy of the completed tally sheet when you have finished recording the moth catches. We thank you for your continued participation in our gypsy moth monitoring program. If you have any questions, please contact me or Rod Whiteman.

Sincerely,

/s/ William R. MacFarlane
Forest Technician
Forest Pest Management

United States Department of Agriculture	Forest Service	Northeastern Area State and Private Forestry	180 Canfield St. Morgantown, WV 26505
---	-------------------	--	--

Reply To: 3460

Date: 5/12/89

Robert King
DEER CREEK LAKE
U.S. ARMY CORPS ENGINEERS
21897 DEER CREEK RD
MT. STERLING OH 43143-9505

Dear Robert King:

Enclosed please find:

15 Delta Traps
directions for assembly of traps
tally sheet(s) for recording moth catches

This should be all of the paraphenalia needed to perform your gypsy moth trapping program at your site this year.

The pheremone strip has already been stapled to the trap. The inside of the traps are coated with a sticky substance that should snare any males lured into the trap. All you will need to do is assemble the traps and hang them up.

The traps should be in place by mid-June and should be removed from the field in late August, after all of the males have died. The trap can then be opened and the number of moths caught recorded on the enclosed tally sheet.

Please return a copy of the completed tally sheet when you have finished recording the moth catches. We thank you for your continued participation in our gypsy moth monitoring program. If you have any questions, please contact me or Rod Whiteman.

Sincerely,

/s/ William R. MacFarlane
Forest Technician
Forest Pest Management

United States
Department of
Agriculture

Forest
Service

Northeastern Area
State and Private
Forestry

180 Canfield St.
Morgantown, WV 26505

Reply To: 3460

Date: 5/12/89

Terry Hobson
NAVAL WEAPONS SUPP. CTR.
U.S. NAVY
CODE 09237
CRANE IN 47522

Dear Terry Hobson:

Enclosed please find:

50 Delta Traps
directions for assembly of traps
tally sheet(s) for recording moth catches

This should be all of the paraphenalia needed to perform your gypsy moth trapping program at your site this year.

The pheremone strip has already been stapled to the trap. The inside of the traps are coated with a sticky substance that should snare any males lured into the trap. All you will need to do is assemble the traps and hang them up.

The traps should be in place by mid-June and should be removed from the field in late August, after all of the males have died. The trap can then be opened and the number of moths caught recorded on the enclosed tally sheet.

Please return a copy of the completed tally sheet when you have finished recording the moth catches. We thank you for your continued participation in our gypsy moth monitoring program. If you have any questions, please contact me or Rod Whiteman.

Sincerely,

/s/ William R. MacFarlane
Forest Technician
Forest Pest Management

United States
Department of
Agriculture

Forest
Service

Northeastern Area
State and Private
Forestry

180 Canfield St.
Morgantown, WV 26505

Reply To: 3460

Date: 5/12/89

Mary Webster
CLARENCE J. BROWN DAM
U.S. ARMY CORPS ENGINEERS
2630 CROFT RD.
SPRINGFIELD OH 45503

Dear Mary Webster:

Enclosed please find:

10 Delta Traps
directions for assembly of traps
tally sheet(s) for recording moth catches

This should be all of the paraphenalia needed to perform your gypsy moth trapping program at your site this year.

The pheremone strip has already been stapled to the trap. The inside of the traps are coated with a sticky substance that should snare any males lured into the trap. All you will need to do is assemble the traps and hang them up.

The traps should be in place by mid-June and should be removed from the field in late August, after all of the males have died. The trap can then be opened and the number of moths caught recorded on the enclosed tally sheet.

Please return a copy of the completed tally sheet when you have finished recording the moth catches. We thank you for your continued participation in our gypsy moth monitoring program. If you have any questions, please contact me or Rod Whiteman.

Sincerely,

/s/ William R. MacFarlane
Forest Technician
Forest Pest Management

United States Department of Agriculture	Forest Service	Northeastern Area State and Private Forestry	180 Canfield St. Morgantown, WV 26505
---	-------------------	--	--

Reply To: 3460

Date: 5/12/89

Mr. Cable
CECIL M. HARDEN LAKE
US ARMY CORPS OF ENGINEERS
R.R.1, BOX 296
ROCKVILLE IN 47872-9726

Dear Mr. Cable:

Enclosed please find:

15 Delta Traps
directions for assembly of traps
tally sheet(s) for recording moth catches

This should be all of the paraphenalia needed to perform your gypsy moth trapping program at your site this year.

The pheremone strip has already been stapled to the trap. The inside of the traps are coated with a sticky substance that should snare any males lured into the trap. All you will need to do is assemble the traps and hang them up.

The traps should be in place by mid-June and should be removed from the field in late August, after all of the males have died. The trap can then be opened and the number of moths caught recorded on the enclosed tally sheet.

Please return a copy of the completed tally sheet when you have finished recording the moth catches. We thank you for your continued participation in our gypsy moth monitoring program. If you have any questions, please contact me or Rod Whiteman.

Sincerely,

/s/ William R. MacFarlane
Forest Technician
Forest Pest Management

United States Forest Northeastern Area 180 Canfield St.
Department of Service State and Private Morgantown, WV 26505
Agriculture Forestry

Reply To: 3460

Date: 5/12/89

Luman Whittern
CAGLES MILL LAKE
U.S. ARMY CORPS ENGINEERS
RFD 2 BOX 469
POLAND IN 47868

Dear Luman Whittern:

Enclosed please find:

15 Delta Traps
directions for assembly of traps
tally sheet(s) for recording moth catches

This should be all of the paraphenalia needed to perform your gypsy moth trapping program at your site this year.

The pheremone strip has already been stapled to the trap. The inside of the traps are coated with a sticky substance that should snare any males lured into the trap. All you will need to do is assemble the traps and hang them up.

The traps should be in place by mid-June and should be removed from the field in late August, after all of the males have died. The trap can then be opened and the number of moths caught recorded on the enclosed tally sheet.

Please return a copy of the completed tally sheet when you have finished recording the moth catches. We thank you for your continued participation in our gypsy moth monitoring program. If you have any questions, please contact me or Rod Whiteman.

Sincerely,

/s/ William R. MacFarlane
Forest Technician
Forest Pest Management

United States Forest Northeastern Area 180 Canfield St.
Department of Service State and Private Morgantown, WV 26505
Agriculture Forestry

Reply To: 3460

Date: 5/12/89

Steven Lee
CAESER CREEK LAKE
U.S. ARMY CORPS ENGINEERS
4020 N. CLARKVILLE RD.
WAYNESVILLE OH 45068

Dear Steven Lee:

Enclosed please find:

19 Delta Traps
directions for assembly of traps
tally sheet(s) for recording moth catches

This should be all of the paraphenalia needed to perform your gypsy moth trapping program at your site this year.

The pheremone strip has already been stapled to the trap. The inside of the traps are coated with a sticky substance that should snare any males lured into the trap. All you will need to do is assemble the traps and hang them up.

The traps should be in place by mid-June and should be removed from the field in late August, after all of the males have died. The trap can then be opened and the number of moths caught recorded on the enclosed tally sheet.

Please return a copy of the completed tally sheet when you have finished recording the moth catches. We thank you for your continued participation in our gypsy moth monitoring program. If you have any questions, please contact me or Rod Whiteman.

Sincerely,

/s/ William R. MacFarlane
Forest Technician
Forest Pest Management

United States Forest Service Northeastern Area 180 Canfield St.
Department of Service State and Private Morgantown, WV 26505
Agriculture Forestry

Reply To: 3460

Date: 5/12/89

Stephen Brimm
NATL FISH HATCHERY, BOWDEN
USDI FISH AND WILDL SER
RT. 1, BOX 80
ELKINS WV 26241

Dear Stephen Brimm:

Enclosed please find:

3 Delta Traps
directions for assembly of traps
tally sheet(s) for recording moth catches

This should be all of the paraphenalia needed to perform your gypsy moth trapping program at your site this year.

The pheromone strip has already been stapled to the trap. The inside of the traps are coated with a sticky substance that should snare any males lured into the trap. All you will need to do is assemble the traps and hang them up.

The traps should be in place by mid-June and should be removed from the field in late August, after all of the males have died. The trap can then be opened and the number of moths caught recorded on the enclosed tally sheet.

Please return a copy of the completed tally sheet when you have finished recording the moth catches. We thank you for your continued participation in our gypsy moth monitoring program. If you have any questions, please contact me or Rod Whiteman.

Sincerely,

/s/ William R. MacFarlane
Forest Technician
Forest Pest Management

United States Forest Service Northeastern Area 180 Canfield St.
Department of Service State and Private Morgantown, WV 26505
Agriculture Forestry

Reply To: 3460

Date: 5/12/89

Leo Jay
BERLIN LAKE
U.S. ARMY CORPS OF ENGINEERS
2030 BONNER RD.
DEERFIELD OH 44411-9740

Dear Leo Jay:

Enclosed please find:

12 Delta Traps
directions for assembly of traps
tally sheet(s) for recording moth catches

This should be all of the paraphenalia needed to perform your gypsy moth trapping program at your site this year.

The pheromone strip has already been stapled to the trap. The inside of the traps are coated with a sticky substance that should snare any males lured into the trap. All you will need to do is assemble the traps and hang them up.

The traps should be in place by mid-June and should be removed from the field in late August, after all of the males have died. The trap can then be opened and the number of moths caught recorded on the enclosed tally sheet.

Please return a copy of the completed tally sheet when you have finished recording the moth catches. We thank you for your continued participation in our gypsy moth monitoring program. If you have any questions, please contact me or Rod Whiteman.

Sincerely,

/s/ William R. MacFarlane
Forest Technician
Forest Pest Management

United States
Department of
Agriculture

Forest
Service

Northeastern Area
State and Private
Forestry

180 Canfield St.
Morgantown, WV 26505

Reply To: 3460

Date: 5/12/89

Sir
ATTERBURY RES. TRAINING AR.
U.S. ARMY
ATTN. NATURAL RESOURCE MGR.
EDINBURG IN 46124

Dear Sir:

Enclosed please find:

15 Delta Traps
directions for assembly of traps
tally sheet(s) for recording moth catches

This should be all of the paraphenalia needed to perform your gypsy moth trapping program at your site this year.

The pheremone strip has already been stapled to the trap. The inside of the traps are coated with a sticky substance that should snare any males lured into the trap. All you will need to do is assemble the traps and hang them up.

The traps should be in place by mid-June and should be removed from the field in late August, after all of the males have died. The trap can then be opened and the number of moths caught recorded on the enclosed tally sheet.

Please return a copy of the completed tally sheet when you have finished recording the moth catches. We thank you for your continued participation in our gypsy moth monitoring program. If you have any questions, please contact me or Rod Whiteman.

Sincerely,

/s/ William R. MacFarlane
Forest Technician
Forest Pest Management

United States Forest Northeastern Area 180 Canfield St.
Department of Service State and Private Morgantown, WV 26505
Agriculture Forestry

Reply To: 3460

Date: 5/12/89

Bud Glusencamp
ALUM CREEK
U.S. ARMY CORPS ENGINEERS
5905 LEWIS CENTER RD.
GALENA OH 43021

Dear Bud Glusencamp:

Enclosed please find:

15 Delta Traps
directions for assembly of traps
tally sheet(s) for recording moth catches

This should be all of the paraphenalia needed to perform your gypsy moth trapping program at your site this year.

The pheremone strip has already been stapled to the trap. The inside of the traps are coated with a sticky substance that should snare any males lured into the trap. All you will need to do is assemble the traps and hang them up.

The traps should be in place by mid-June and should be removed from the field in late August, after all of the males have died. The trap can then be opened and the number of moths caught recorded on the enclosed tally sheet.

Please return a copy of the completed tally sheet when you have finished recording the moth catches. We thank you for your continued participation in our gypsy moth monitoring program. If you have any questions, please contact me or Rod Whiteman.

Sincerely,

/s/ William R. MacFarlane
Forest Technician
Forest Pest Management